

(Click on Well Log ID to Access Image of Well Strip Log)

MILLER

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID: 012112

WELL TYPE Private Well

DRILL DATE:

1951/10/10

TOWNSHIP 38N

RANGE SECTION

17

ELEVATION:

885FT

DRILL DEPTH:

66FT

12W

UTM X 563,569.18

UTM Y 4,209,582.87

DEPTH TO BED:

15FT

18

FT

FΤ

FT

REMARKS: 4 MI SE OF IBERIA, 0.75 MI E OF HWY 17 ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

WELL TYPE

LOG ID: 023300

Private Well

DRILL DATE:

1964/12/12

TOWNSHIP

SECTION RANGE

ELEVATION:

828FT

DRILL DEPTH:

161FT

38N 12W 3

UTM X 568,244.16

ZONE 15

UTM Y 4,212,350.94

DEPTH TO BED:

10FT

S.W.L. (BEFORE CASING):

50

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 018393

WELL TYPE Private Well

DRILL DATE:

1959/09/10

TOWNSHIP

SECTION RANGE

ELEVATION:

971FT

DRILL DEPTH:

505FT 10FT 38N 13W 1

UTM X

UTM Y 4,212,520.89

DEPTH TO BED:

130

561,362.14

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

WELL TYPE

LOG ID: 014227

Private Well

DRILL DATE:

1955/10/11

TOWNSHIP 38N

RANGE SECTION

1.5 MI S OF IBERIA ON HWY 17

ELEVATION:

903FT

DRILL DEPTH:

DEPTH TO BED:

100FT

30FT

13W

12

UTM X

561,343.17

UTMY

4,210,295.86

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 30

2/27/2007

3,662



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015980

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1956/00/00

35FT

TOWNSHIP RANGE 38N 14W

<u>SECTION</u>

11

ELEVATION: 1,055FT

DRILL DEPTH: 145FT

14W 13

UTM X UTM Y

ZONE 15

552,026.15

4,208,774.76

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

005157

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1938/00/00

TOWNSHIP

RANGE SECTION

ELEVATION:

906FT

DRILL DEPTH:

25FT

39N 12W

UTM X

UTM Y

DEPTH TO BED:

569,742.05

4,220,830.10

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "RED PAINT ORE", 6 MI E OF IBERIA

S.W.L. (AFTER CASING):

LOG ID: 021906

WELL TYPE Private Well

DRILL DATE:

1963/06/13

TOWNSHIP

RANGE SECTION

ELEVATION:

921FT

DRILL DEPTH:

225FT

39N 12W 11

<u>UTM X</u> 568,742.07

ZONE 15

<u>UTM Y</u> 4,219,408.06

DEPTH TO BED:

5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS: 5 MI E OF IBERIA ON HWY 42, 0.5 MI S ON HWY TT

145

LOG ID:

WELL TYPE

005685

Community Public Well

DRILL DATE:

1939/00/00

<u>TOWNSHIP</u>

RANGE SECTION

ELEVATION:

876FT

DRILL DEPTH:

203FT

39N 12W 19

UTM X

<u>UTM Y</u> 4,216,309.95

562,256.10 4 ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

70



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021719

WELL TYPE

Community Public Well

1963/03/01 DRILL DATE:

DRILL DEPTH: 915FT

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING): FT

REMARKS:

BY FIRE)

LOG ID: 024975

WELL TYPE Private Well

DRILL DATE:

S.W.L. (AFTER CASING):

1966/11/28

85

TOWNSHIP 39N

TOWNSHIP

39N

RANGE 12W

RANGE

12W

RANGE

12W

SECTION 19

ADJACENT TO ABANDONED IBERIA HIGH SCHOOL (DESTROYED

ELEVATION:

ELEVATION:

UTM X

562,231.10

ZONE 15

ZONE 15

881FT

890FT

UTMY

4,216,349.95

DRILL DEPTH: DEPTH TO BED: 250FT

UTM X 562,256.09

ELEVATION:

UTM X

564,824.13

UTMY 4,217,113.96

823FT

UTMY

4,214,240.94

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.25 MI E OF IBERIA, 2 BLKS N OF HWY 42; YIELD - 18-20 GPM

SECTION

32

SECTION

19

S.W.L. (AFTER CASING):

LOG ID: 012109

DEPTH TO BED:

WELL TYPE

Private Well

DRILL DATE: 1951/10/30

107FT

DRILL DEPTH:

25FT

26

130

FT

REMARKS: 3 MI E OF IBERIA

TOWNSHIP

39N

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 012340

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1953/00/00

210FT

50FT

TOWNSHIP 39N

RANGE 12W

SECTION 4

ELEVATION:

917FT

UTM X UTM Y

566.122.04 4,221,936.07

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

2 MI E OF ST. ANTHONY; LONG 1 X 2 MI SECTION **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018775

WELL TYPE Private Well

1959/09/19 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

39N 12W 4 **DRILL DEPTH:** 295FT

UTM X **UTMY** DEPTH TO BED: 30FT 565,722.02 4,223,872.09

ZONE 15

S.W.L. (BEFORE CASING): FT LONG 1 X 2 MI SECTION; 1.5 MI E OF ST. ANTHONY **REMARKS**:

S.W.L. (AFTER CASING): 210

LOG ID: 012346

WELL TYPE Private Well

DRILL DATE: 1953/05/01 **TOWNSHIP SECTION RANGE ELEVATION:** 896FT

39N 12W 5 DRILL DEPTH: 198FT

UTM X UTMY DEPTH TO BED: 564,702.01 150FT 4,223,872.08

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: OLD WELL TO 150'; LONG 1 X 2 MI SECTION; YIELD- 12-13 GPM

S.W.L. (AFTER CASING): 155

LOG ID:

WELL TYPE

Noncommunity Public Well 004435

DRILL DATE: 1937/09/01 **TOWNSHIP RANGE SECTION ELEVATION:** 951FT

39N 12W 6 **DRILL DEPTH:** 600FT

UTM X **UTMY DEPTH TO BED:** 563,495.01 4,223,505.06 45FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** WORKS PROGRERSS ADMINISTRATION, WELL #1-C

S.W.L. (AFTER CASING): 180

LOG ID:

WELL TYPE

Noncommunity Public Well 002644

245FT

DRILL DATE: 1932/09/01 **TOWNSHIP RANGE SECTION ELEVATION:** 926FT

DRILL DEPTH: UTM X UTM Y

13W

25

DEPTH TO BED: 90FT 561.640.10 4,216,152.94

ZONE 15

39N

S.W.L. (BEFORE CASING): @ COLLEGE - 3 LOGS **REMARKS:**

S.W.L. (AFTER CASING):



TOWNSHIP

39N

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

561,740.11

1,011FT

UTMY

4,214,841.92

882FT

UTMY

LOG ID: 011516

WELL TYPE

Community Public Well

1951/03/01 DRILL DATE:

DRILL DEPTH: 650FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 182

LOG ID: 012110

WELL TYPE

DRILL DATE: 1951/09/30

DRILL DEPTH: 60FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

Private Well

TOWNSHIP SECTION RANGE

39N 13W 25

RANGE

13W

SECTION

25

IN W EDGE OF IBERIA

RANGE

LONG 1 X 2 MI SECTION

13W

560,840.09 4,215,950.93

ELEVATION:

UTM X

ELEVATION:

UTM X

558,307.00

ZONE 15

ZONE 15

REMARKS: S.W.L. (AFTER CASING): 27

FT

LOG ID: 013443

WELL TYPE

Private Well

DRILL DATE: 1953/00/00

DRILL DEPTH: 190FT

DEPTH TO BED: 70FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 018297

WELL TYPE

Private Well

1959/07/22 **DRILL DATE:**

DRILL DEPTH: 212FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 152

FT

REMARKS:

TOWNSHIP 39N

TOWNSHIP

39N

RANGE 13W

3

SECTION

SECTION

3

ELEVATION:

796FT

UTM Y

4,222,841.98

UTM X UTM Y 558,307.01 4,221,699.97

ZONE 15

ZONE 15

RT 2, IBERIA; LONG 1 X 2 MI SECTION **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027412

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

TOWNSHIP 39N

RANGE SECTION **ELEVATION:**

750FT

DRILL DEPTH:

1,375FT

13W 3

UTM X 557,806.99

UTMY 4,223,412.98

DEPTH TO BED: 10FT S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

10' SAMPLES TO 610'

LOG ID: 013436

WELL TYPE Private Well

DRILL DATE:

1954/00/00

TOWNSHIP 39N

RANGE

OLD WELL DEEPENED 125-315'

SECTION 34

ELEVATION:

ZONE 15

1,053FT

DRILL DEPTH:

315FT

13W

UTM X 558,377.11

UTMY 4,213,571.87

DEPTH TO BED:

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 012106

WELL TYPE Private Well

DRILL DATE:

1951/09/25

TOWNSHIP

REMARKS:

RANGE

SECTION

ELEVATION:

774FT

DRILL DEPTH:

100FT

39N

4

UTM X

UTMY

DEPTH TO BED:

20FT

38

13W

556,626.98 4,223,818.97

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LONG 1 X 2 MI SECTION; 5 MI NW OF IBERIA ON HWY 17

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

013438

Private Well

DRILL DATE:

1953/00/00

TOWNSHIP 39N

RANGE

SECTION 5

ELEVATION:

729FT

DRILL DEPTH:

DEPTH TO BED:

105FT 25FT

13W

UTM X

UTM Y

554.718.98

4,223,315.95

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LONG 1 X 2 MI SECTION



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018480

WELL TYPE Private Well

DRILL DATE:

1959/05/22 **TOWNSHIP** 39N

RANGE SECTION 14W

ELEVATION:

825FT

DRILL DEPTH:

205FT

11

UTM X

UTMY 4,220,790.86

549,638.99 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

5FT

FT

S.W.L. (AFTER CASING):

100

REMARKS:

LOG ID: 018913

WELL TYPE Private Well

DRILL DATE:

1959/10/21

TOWNSHIP 39N

RANGE

ELEVATION:

970FT

DRILL DEPTH:

165FT

14W 27

SECTION

UTM X

UTMY 4,216,247.80

DEPTH TO BED:

25FT

100

FT

FT

548,403.04 ZONE 15

S.W.L. (BEFORE CASING):

3 MI E OF BRUMLEY ON HWY 42 REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

018782 **DRILL DATE:**

LOG ID:

1959/07/21

TOWNSHIP

RANGE SECTION **ELEVATION:**

548,427.95

937FT

DRILL DEPTH:

400FT

39N 14W 3

UTM X

ZONE 15

UTM Y 4,224,310.88

DEPTH TO BED:

65FT

LONG 1 X 2 MI SECTION; 2 MI W OF ULMAN

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

208

LOG ID:

027508

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP

39N

RANGE SECTION

14W

ELEVATION:

817FT

DRILL DEPTH:

DEPTH TO BED:

140FT

30

UTM X UTM Y

544,057.03

4,215,772.75

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027102

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 39N 15W

DRILL DEPTH: 440FT UTM X **UTMY DEPTH TO BED:**

541,428.97 4,221,405.77

ZONE 15

ZONE 15

710FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 60

LOG ID: **WELL TYPE**

005986 Noncommunity Public Well

DRILL DATE: **TOWNSHIP SECTION** 1940/04/16 **RANGE ELEVATION:** 922FT

39N 15W 15 DRILL DEPTH: 685FT

UTM X UTMY DEPTH TO BED: 538,258.01 4,219,626.72

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** KAISER FARM

S.W.L. (AFTER CASING): 199

LOG ID: **WELL TYPE**

Noncommunity Public Well 024889

SECTION DRILL DATE: 1967/00/00 **TOWNSHIP RANGE ELEVATION:** 930FT

39N 15W 15 **DRILL DEPTH:** 900FT

UTM X **UTMY DEPTH TO BED:** 538,265.01 4,219,673.72 5FT

S.W.L. (BEFORE CASING): FT **REMARKS**: YIELD - 28 GPM @ 233'

S.W.L. (AFTER CASING): 215

LOG ID: **WELL TYPE**

DRILL DEPTH:

Noncommunity Public Well 026222

500FT

DRILL DATE: 1969/04/01 **TOWNSHIP RANGE SECTION ELEVATION:** 863FT

UTM X UTM Y

DEPTH TO BED: 539.428.03 4,217,060.71 15FT

15W

23

ZONE 15 S.W.L. (BEFORE CASING): 153 FT

39N

formerly in name of Lee C. Fine Memorial Park Board - MO STATE **REMARKS:**

PARK BOARD FΤ S.W.L. (AFTER CASING): 153



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004318

WELL TYPE Private Well

1937/07/08 DRILL DATE:

TOWNSHIP 39N

RANGE SECTION **ELEVATION:**

874FT

DRILL DEPTH:

740FT

15W 27 UTM X

UTMY 4,215,181.68

DEPTH TO BED: 15FT

537,830.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: 36' W OF #24849

S.W.L. (AFTER CASING):

192

LOG ID:

WELL TYPE

024849 Noncommunity Public Well

DRILL DATE:

1967/03/01

TOWNSHIP

SECTION RANGE

ELEVATION:

865FT

DRILL DEPTH:

755FT

39N 15W

27

ZONE 15

UTM X 538,089.06

UTMY 4,215,294.69

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

15FT

REMARKS:

formerly in name of MO STATE PARK BOARD - HOMESTEAD SITE

#2; YIELD - 140 GPM @ 256'; 36' E OF #4318

LOG ID:

WELL TYPE

016779

Industrial High Capacity Well

212

DRILL DATE:

1957/10/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

870FT

DRILL DEPTH:

460FT

39N

15W

UTM X

DEPTH TO BED:

20FT

225

4

UTMY 536,773.96 4,224,434.73

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2.5 MI NE OF RIVERVIEW CHURCH - BARITE WASHING PLANT;

LONG 1 X 2 MI SC

LOG ID:

WELL TYPE

027437

Private Well

DRILL DATE:

TOWNSHIP

39N

SECTION RANGE

15W

ELEVATION:

904FT

DRILL DEPTH:

DEPTH TO BED:

525FT 30FT

UTM X UTM Y

536.589.99

4,221,691.71

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020757

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1962/03/16 DRILL DATE:

409FT

DEPTH TO BED: 65FT

S.W.L. (BEFORE CASING):

RANGE 5

15W

SECTION

ELEVATION:

910FT

UTM X 535,245.99

UTMY 4,222,352.70

ZONE 15

FT

REMARKS:

TOWNSHIP

39N

ON HWY 42 E OF JCT HWYS 54 & 42; LONG 1 X 2.1 MI SECTION

S.W.L. (AFTER CASING): 195

LOG ID: 021525

WELL TYPE

Noncommunity Public Well

DRILL DATE:

DEPTH TO BED:

160

DRILL DEPTH: 420FT

40FT

SECTION RANGE 15W 5

ELEVATION:

896FT

UTM X

UTMY

534,794.98

4,222,993.70 ZONE 15

FT

REMARKS:

TOWNSHIP

39N

TOWNSHIP

39N

LONG 1 X 2 MI SECTION; BERNARD McDOWELL, OWNER

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 025851

WELL TYPE

Community Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1968/10/01

670FT

40FT

15W 5

SECTION

ELEVATION:

900FT

UTM X UTMY 535,129.97 4,223,509.70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

formerly in name of World Wide Church of God - NEAR JCT. HWYS 42

& ; LONG 1 X 2.1 MI SECTION

RANGE

LOG ID:

WELL TYPE

026732

Noncommunity Public Well

425FT

30FT

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1970/09/14

TOWNSHIP 39N

RANGE 15W

SECTION 5

ELEVATION:

889FT

UTM X

UTM Y

535.374.99 4,221,836.70

ZONE 15

S.W.L. (BEFORE CASING):

FT

JCT HWYS 54 & 42; LONG 1 X 1.2 MI SECTION **REMARKS:**

S.W.L. (AFTER CASING):

120



RANGE

RANGE

RANGE

15W

15W

15W

SECTION

5

SECTION

8

SECTION

8

TOWNSHIP

39N

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

534,855.98

889FT

UTMY

4,222,701.70

907FT

UTMY

LOG ID: 028130

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1978/08/04 DRILL DATE:

500FT

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING): LONG 1 X 2 MI SECTION **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 018784

DRILL DATE: 1958/00/00

DRILL DEPTH: 445FT

DEPTH TO BED: 25FT

S.W.L. (BEFORE CASING):

FT

FT

FT

160

REMARKS:

0.25 MI FROM HWY 42 IN KAISER **REMARKS**:

TOWNSHIP

39N

TOWNSHIP

39N

S.W.L. (AFTER CASING): 161

LOG ID: 020552

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE: 1960/06/03

220FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well 028582

DRILL DATE:

DRILL DEPTH: 800FT

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 214

1983/09/15 **SECTION TOWNSHIP RANGE**

39N 15W 9

REMARKS: formerly in name of Osage Acres Subdivision

535,900.00 4,220,703.70

ZONE 15

ZONE 15

ELEVATION:

UTM X

ELEVATION: 900FT

UTM X **UTMY**

535,769.01 4,220,620.69

ZONE 15

ELEVATION: 899FT

> UTM X UTM Y

537.042.99 4,221,257.71

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021141

DRILL DATE:

DEPTH TO BED:

WELL TYPE Private Well

35FT

40N 12W

TOWNSHIP

SECTION 18

ELEVATION:

810FT

DRILL DEPTH: 325FT

UTM X 561,036.93

UTMY 4,229,784.11

S.W.L. (BEFORE CASING):

FT

ZONE 15

ZONE 15

S.W.L. (AFTER CASING):

136

LOG ID: 018802

WELL TYPE Private Well

DRILL DATE:

1959/12/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

690FT

DRILL DEPTH:

110FT

40N 12W 21

RANGE

UTM X 564,163.96

UTMY 4,227,761.13

DEPTH TO BED:

FT

FT

REMARKS:

REMARKS:

formerly in name of John H. Voss - 4 MI N OF ST ANTHONY

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

60

WELL TYPE Private Well

021146 **DRILL DATE:**

LOG ID:

1962/06/28

TOWNSHIP

RANGE 12W

SECTION

ELEVATION:

808FT

DRILL DEPTH:

240FT

40N

35

UTM X

UTMY

DEPTH TO BED:

40FT

58

567,567.01

4,224,533.13

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE Private Well

016738 **DRILL DATE:**

1957/00/00

TOWNSHIP 40N

RANGE

SECTION

ELEVATION:

804FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

260FT

12W

5

UTM X

ZONE 15

563.889.90

UTM Y 4,232,798.19

25FT

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018780

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1959/10/27 **TOWNSHIP** **SECTION** 2

ELEVATION:

DRILL DEPTH: 230FT 40N 13W

RANGE

UTM X **UTMY**

558,238.88

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: JUST OFF HWY 52 FROM TUSCUMBIA

S.W.L. (AFTER CASING): 210

LOG ID: 012342

WELL TYPE Private Well

DRILL DATE:

1953/00/00

TOWNSHIP 40N

RANGE

SECTION ELEVATION: 775FT

DRILL DEPTH:

89FT

15FT

13W

UTM X

UTMY 4,228,668.98

4,233,102.11

DEPTH TO BED:

35FT

553,090.91 NO PRODUCTION OR CONSTRUCTION DATA

20

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028522

Exploratory Hole (Mineral Prospect)

DRILL DATE:

REMARKS:

REMARKS:

DRILL DEPTH:

1.086FT

TOWNSHIP RANGE SECTION 40N 13W 22

ELEVATION:

556,834.92

770FT

4,228,798.04

UTM X **UTMY**

ZONE 15

DEPTH TO BED: 500FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 012113

WELL TYPE Private Well

DRILL DATE:

1951/00/00

TOWNSHIP 40N

SECTION RANGE

ELEVATION:

907FT

DRILL DEPTH:

105FT

13W

UTM X

UTM Y

DEPTH TO BED:

80FT

45

552.632.93

4,226,853.96

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Hartley - 10 MI NW OF IBERIA, N OF HUMPHREY

29

STATION



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018774

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

175FT

25FT

TOWNSHIP RANGE SECTION 40N 14W

10

ELEVATION:

634FT

UTM X 547,197.85

UTMY 4,231,885.93

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

JUST S OF TUSCUMBIA OFF OF HWY 52 **REMARKS**:

LOG ID: 023363

WELL TYPE Private Well

DRILL DATE:

1965/02/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

699FT

DRILL DEPTH:

110FT

40N 14W 11

> UTM X 549,205.87

UTMY 4,230,921.95

DEPTH TO BED:

FT

ABT 15 MI E OF VERSAILLES REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 028528

WELL TYPE

Exploratory Hole (Mineral Prospect)

30

DRILL DATE:

TOWNSHIP 40N

RANGE

SECTION

ELEVATION:

580FT

DRILL DEPTH:

1.130FT

14W

12

ZONE 15

UTM X 550,069.87

UTMY 4,231,034.96

DEPTH TO BED:

10FT

REMARKS: CUTTINGS TO 712', CORE 712-TD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 018779

WELL TYPE Private Well

1959/10/09

TOWNSHIP

RANGE

SECTION

ELEVATION:

635FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

260FT

15FT

40N

14W 2

ZONE 15

UTM X

UTM Y

549.395.84

4,233,454.97

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.6 MI N OF HWY 52, 2 MI E OF TUSCUMBIA

S.W.L. (AFTER CASING):

100



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024294

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH:

600FT

DEPTH TO BED:

20FT

2

FT

TOWNSHIP 40N

RANGE 14W

SECTION 24

ELEVATION:

637FT

UTM X 549,815.89

UTMY 4,228,969.94

ZONE 15

@ TUSCUMBIA; FLOWED BEFORE CEMENTING

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 019455

WELL TYPE Private Well

DRILL DATE:

1960/07/30

TOWNSHIP

REMARKS:

RANGE

SECTION 3

ELEVATION:

772FT

DRILL DEPTH:

328FT

204

40N 14W

UTM X

UTMY

DEPTH TO BED: 40FT

546,650.83

4,233,293.93

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

ON HWY 17 IN TUSCUMBIA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 016391

WELL TYPE Private Well

1957/06/20

TOWNSHIP

RANGE SECTION 14W

ELEVATION:

544,935.82

847FT

DRILL DATE: DRILL DEPTH:

250FT

40N

UTM X

UTMY 4,233,938.91

DEPTH TO BED:

35FT

160

NO PRODUCTION OR CONSTRUCTION DATA

4

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

016392

DRILL DATE:

1957/06/08

TOWNSHIP

RANGE

SECTION

ELEVATION:

545,335.81

854FT

DRILL DEPTH:

DEPTH TO BED:

298FT 80FT 40N 14W

UTM X

UTM Y 4,234,138.91

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

150

REMARKS:

REMARKS:

1.5 MI W OF TUSCUMBIA ON HWY 52

2/27/2007

3,676



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021823

WELL TYPE

Noncommunity Public Well

DRILL DATE:

DRILL DEPTH: 270FT

DEPTH TO BED: 15FT

> NO PRODUCTION OR CONSTRUCTION DATA **REMARKS:**

RANGE

14W

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028505

Exploratory Hole (Mineral Prospect)

DRILL DATE:

DRILL DEPTH:

TOWNSHIP SECTION RANGE 15W

TOWNSHIP

40N

40N

15

SECTION

5

ELEVATION:

ELEVATION:

UTM X

544,224.81

ZONE 15

650FT

826FT

UTMY

4,234,201.90

DEPTH TO BED: 680FT

UTM X 537,443.87

UTMY 4,231,089.78

ZONE 15

S.W.L. (BEFORE CASING):

DESCRIBED CORE ONLY REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 017093

WELL TYPE Private Well

DRILL DATE:

1958/02/24

1,105FT

TOWNSHIP RANGE 40N

SECTION 18

ELEVATION:

852FT

DRILL DEPTH:

435FT

15W

UTM X 532,235.90

ZONE 15

UTMY 4,230,543.71

DEPTH TO BED:

35FT

200

FT

REMARKS: YIELD "STRONG"

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

018917

1959/11/06

TOWNSHIP

RANGE SECTION **ELEVATION:**

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

345FT

40N 15W

UTM X

ZONE 15

532.926.90

UTM Y 4,230,725.72

20FT

FT **REMARKS:**

formerly in name of Mrs. Bertha R. Ackermann - ABT 1.5 MI N OF

BAGNELL DAM ON HWY W, 0.25 MI OFF HWY 54

18

220 S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023407

WELL TYPE

Community Public Well

1965/01/25 DRILL DATE:

DRILL DEPTH: 815FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 215

TOWNSHIP

40N

formerly in name of CITY OF LAKELAND

SECTION

18

RANGE

15W

ELEVATION:

871FT

UTM X 532,222.90

4,230,452.71

ZONE 15

LOG ID:

WELL TYPE

Community Public Well 026630

DRILL DATE:

1970/09/09

REMARKS:

TOWNSHIP

TOWNSHIP

SECTION RANGE

ELEVATION:

801FT

UTMY

DRILL DEPTH:

400FT

40N 15W 18

UTM X

UTMY

DEPTH TO BED: 5FT

532,497.91

4,229,851.71

ZONE 15

S.W.L. (BEFORE CASING):

LOST HOLE - PLUGGED & ABANDONED REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 002589

WELL TYPE

Community Public Well

DRILL DATE:

1932/07/00

200FT

RANGE SECTION 19

ELEVATION:

685FT

DRILL DEPTH:

40N 15W

UTM X

UTMY

DEPTH TO BED:

15FT

532,581.92

4,228,475.70

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

#1 CASINO, @ ELDON; WEST END OF DAM

LOG ID:

WELL TYPE

004270

Noncommunity Public Well

DRILL DATE:

1937/00/00

TOWNSHIP 40N

RANGE

SECTION

ELEVATION:

UTM X

531.781.93

702FT

DRILL DEPTH:

147FT

15W 19

ZONE 15

UTM Y 4,228,267.69

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

ON LAKE OF THE OZARKS **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004854

WELL TYPE

Noncommunity Public Well

1938/06/15 DRILL DATE:

TOWNSHIP RANGE SECTION 40N 15W 19 226FT

DRILL DEPTH:

DEPTH TO BED: 5FT

REMARKS:

FT

ZONE 15

ELEVATION:

UTM X

532,881.92

UTMY

4,228,371.70

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

70

LOG ID:

WELL TYPE

026812 Community Public Well

DRILL DATE: **TOWNSHIP SECTION** 1969/04/30 **RANGE ELEVATION:** 712FT

40N 15W 19 DRILL DEPTH: 295FT

UTM X UTMY DEPTH TO BED: 532,181.93 15FT 4,228,267.69

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 400' S OF BAGNELL DAM

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Noncommunity Public Well 002268

SECTION DRILL DATE: 1929/00/00 **TOWNSHIP RANGE ELEVATION:** 768FT

40N 15W 20 **DRILL DEPTH:** 282FT

UTM X **UTMY DEPTH TO BED:** 10FT 533,650.92 4,228,427.71

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

812FT

Community Public Well 013570

1955/05/01 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 834FT

UTM X UTM Y DEPTH TO BED: 20FT 533.522.92 4,228,553.71

15W

20

ZONE 15

40N

S.W.L. (BEFORE CASING): FT formerly in name of Union Electric Co - E SD OF BAGNESS DAM **REMARKS:**

NEAR HOLIDAY HOUSE; YIELD = PUMP CAPACITY S.W.L. (AFTER CASING): 244



RANGE

15W

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 028846

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Community Public Well

1999/02/19 DRILL DATE:

815FT

FT

247

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 021143

WELL TYPE Private Well

DRILL DATE:

342FT

DRILL DEPTH: DEPTH TO BED:

40FT

TOWNSHIP 40N

TOWNSHIP

40N

RANGE 15W

SECTION 29

SECTION

20

ELEVATION:

ELEVATION:

UTM X

533,850.91

ZONE 15

726FT

666FT

UTMY

4,228,960.72

UTM X

UTMY 4,226,850.71

760FT

UTM Y

4,227,645.68

534,191.94

ELEVATION:

UTM X

531,534.94

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: **NEAR BAGNELL DAM**

S.W.L. (AFTER CASING):

LOG ID: 002599

WELL TYPE

Community Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1932/06/00

TOWNSHIP

250FT

115FT

S.W.L. (BEFORE CASING):

REMARKS: **BLOWING SCHOOL**

40N

S.W.L. (AFTER CASING):

LOG ID: 006306

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1940/08/26

5FT

240FT

TOWNSHIP 40N

RANGE 15W

RANGE

15W

SECTION 30

SECTION

30

ELEVATION:

700FT

UTM X

UTM Y 4,228,043.69

531,734.93

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018962

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1959/12/10 DRILL DATE:

260FT

35FT

130

TOWNSHIP 40N

SECTION 30

ELEVATION:

769FT

UTM X

UTMY 4,227,645.68

531,534.94

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

S EDGE CITY LIMITS OF LAKE OZARK ON HWY 54, SCHOOL OF

OSAGE RD

LOG ID: 002562

WELL TYPE

Community Public Well

DRILL DATE:

1932/05/00

TOWNSHIP

TOWNSHIP

40N

RANGE

RANGE

SWL BELOW LAKE LEVEL

15W

RANGE

15W

SECTION

ELEVATION:

735FT

DRILL DEPTH:

275FT

40N 15W 31

> **UTM X** 532,492.96

ELEVATION:

UTM X

532,092.96

ZONE 15

ZONE 15

UTMY 4,225,620.68

DEPTH TO BED:

FT

FT

REMARKS: MORELAND BROWN, OWNER

S.W.L. (AFTER CASING): 82

S.W.L. (BEFORE CASING):

LOG ID: 005687

WELL TYPE

Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1939/00/00

248FT

175

22FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012514

406FT

Noncommunity Public Well

DRILL DATE:

1953/05/01

DRILL DEPTH:

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 40N

REMARKS:

REMARKS:

RANGE

15W

SECTION 31

SECTION

31

ELEVATION:

810FT

UTM Y

4,225,828.68

UTM X UTM Y

532.292.95

4,226,036.68

ZONE 15

OWNER - PLETCHELL, NO PRODUCTION OR CONSTRUCTION

DATA



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021685

WELL TYPE

Noncommunity Public Well

1963/05/01 DRILL DATE:

TOWNSHIP RANGE SECTION 40N 15W 31

DRILL DEPTH: 441FT

UTM X **UTMY** DEPTH TO BED: 5FT 532,821.96 4,225,697.69

ZONE 15

ZONE 15

709FT

ELEVATION:

S.W.L. (BEFORE CASING): LAKE OF THE OZARKS **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027194 Noncommunity Public Well

DRILL DATE: **TOWNSHIP SECTION** 1972/05/09 **RANGE ELEVATION:** 757FT

40N 15W 31 DRILL DEPTH: 450FT

UTM X UTMY DEPTH TO BED: 15FT 4,225,660.69 532,866.96

ZONE 15 S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA REMARKS:

S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Noncommunity Public Well 027661

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 676FT

40N 15W 31

DRILL DEPTH: 500FT UTM X **UTMY**

DEPTH TO BED: 10FT 532,833.96 4,225,592.69

S.W.L. (BEFORE CASING): 90 **REMARKS:** BENTLEY'S RESTAURENT

FT S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Private Well 017094

1956/12/01 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 765FT

DRILL DEPTH: 395FT UTM X UTM Y

15W

32

DEPTH TO BED: 533.754.95 4,225,807.70 165FT

ZONE 15 S.W.L. (BEFORE CASING): FT

40N

REMARKS: S.W.L. (AFTER CASING): 160



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022422

DEPTH TO BED:

WELL TYPE Private Well

1964/04/01 DRILL DATE:

TOWNSHIP 40N

RANGE SECTION 15W 32

ELEVATION:

832FT

DRILL DEPTH: 255FT

UTMY

25FT

UTM X 533,453.96

4,225,543.70

ZONE 15

S.W.L. (BEFORE CASING):

NO CONSTRUCTION OR PRODUCTION DATA **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024392

Noncommunity Public Well

DRILL DATE:

180

TOWNSHIP RANGE **ELEVATION:**

835FT

DRILL DEPTH: 470FT 40N 15W 32

UTM X UTMY

ZONE 15

DEPTH TO BED: 20FT 533,685.95

4,225,607.70

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028585

Community Public Well

DRILL DATE:

1983/07/27

TOWNSHIP

RANGE

SECTION

SECTION

ELEVATION:

845FT

DRILL DEPTH:

905FT

40N 15W 32

UTM X 533,308.96

UTMY 4,225,495.69

DEPTH TO BED:

S.W.L. (BEFORE CASING):

ZONE 15

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of MILLER COUNTY PWSD #2

195

LOG ID:

WELL TYPE

025506

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

737FT

DRILL DEPTH:

40N

15W 4

UTM X

UTM Y

DEPTH TO BED:

54FT 12FT

535,782.85

4,233,859.77

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

RIGHT-OF-WAY CORE DRILLING

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025613

WELL TYPE

Stratigraphic test hole (oil & gas)

DRILL DATE:

30FT

40N

RANGE

SECTION

ELEVATION:

720FT

DRILL DEPTH:

15W

UTM X 535,782.85

UTMY 4,233,655.77

DEPTH TO BED: 5FT

> STATION 412+50; "RIGHT OF WAY CORE DRILLING" **REMARKS**:

TOWNSHIP

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025614

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

ZONE 15

720FT

DRILL DEPTH:

61FT

40N

15W

UTMY

DEPTH TO BED:

15FT

UTM X

4,233,655.77

535,782.85

S.W.L. (BEFORE CASING):

REMARKS: ROGHT OF WAY CORE DRILLING

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

027465

Community Public Well

DRILL DATE:

TOWNSHIP

40N

RANGE

SECTION 10

4

ELEVATION:

883FT

DRILL DEPTH:

705FT

16W

UTM X

UTMY

DEPTH TO BED:

100FT

HWY W, LAKE RD 11

527,186.90 4,232,660.65 ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

130

FT

LOG ID:

WELL TYPE

016373

Community Public Well

DRILL DATE:

1957/05/14

TOWNSHIP

RANGE

SECTION 15

ELEVATION:

696FT

DRILL DEPTH:

175FT

40N

16W

UTM X

UTM Y

DEPTH TO BED:

20FT

526.727.92

4,231,029.63

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 55



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018606

DRILL DEPTH:

WELL TYPE Private Well

1959/09/01 DRILL DATE:

272FT

DEPTH TO BED: 35FT

TOWNSHIP RANGE SECTION

16W 2 **ELEVATION:**

UTM X

890FT

UTMY 4,233,608.68

528,984.88 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LAKE OZARK **REMARKS**:

40N

LOG ID: 021748

WELL TYPE Private Well

DRILL DATE:

1963/04/01

FT

TOWNSHIP

SECTION RANGE

ELEVATION:

637FT

DRILL DEPTH:

220FT

41N 12W

UTM X 566,737.72

UTMY 4,241,806.27

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

20FT

125

60

REMARKS:

REMARKS:

5 MI W OF META, 0.25 MI N OF HOECKER RIDGE RD; YIELD - 30-35

3

GPM

LOG ID: 018781

WELL TYPE

Private Well

DRILL DATE: DRILL DEPTH: 1959/09/15

267FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP

FT

41N

RANGE 12W

1.25 MI NW OF ST. ELIZABETH

SECTION 31

ELEVATION:

620FT

UTM X

UTMY 4,234,837.18

562,338.86 ZONE 15

ZONE 15

LOG ID:

WELL TYPE

018776

Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1959/09/19

165FT

25FT

TOWNSHIP 41N

RANGE

12W

SECTION 32

ELEVATION:

562.950.86

647FT

UTM X

UTM Y 4,235,147.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.5 MI N OF ST. ELIZABETH **REMARKS**:

S.W.L. (AFTER CASING): 35



RANGE

RANGE

RANGE

12W

12W

12W

TOWNSHIP

41N

TOWNSHIP

41N

TOWNSHIP

TOWNSHIP

41N

41N

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

563,750.87

ELEVATION:

UTM X

563,802.86

ELEVATION:

UTM X

564,559.87

ZONE 15

ZONE 15

ZONE 15

787FT

UTMY

4,234,639.20

776FT

UTMY

4,235,158.20

796FT

UTMY

4,234,707.22

LOG ID: 021936

WELL TYPE

Noncommunity Public Well

DRILL DATE:

DRILL DEPTH: 345FT

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 025978

WELL TYPE

Community Public Well

DRILL DATE: DRILL DEPTH: 1968/08/08

900FT

DEPTH TO BED:

30FT

176

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

FT

formerly in name of Miller County PWSD #2 Well #1 - @ ST.

SECTION

33

SECTION

32

SECTION

32

NEAR ST. ELIZABETH; LOCATION AOD OWNER OF WELL

ELIZABETH

UNCERTAIN

LOG ID:

WELL TYPE

022643

Industrial High Capacity Well

DRILL DATE:

445FT

335FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028074

Community Public Well

DRILL DATE:

DRILL DEPTH:

490FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

5FT

REMARKS:

REMARKS:

RANGE SECTION 13W

FACTORY WELL @ ST. ELIZABETH

16

ELEVATION:

833FT

UTM X 555.978.76

UTM Y 4,239,771.08

ZONE 15

NO PRODUCTION OR CONSTRUCTION DATA; EXCELLENT **SAMPLES**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026777

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 920FT

390FT 41N 13W 22

<u>UTM X</u> <u>UTM Y</u>
DEPTH TO BED: 115FT 556,348.78 4.238,520.0

556,348.78 4,238,520.09 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: formerly in name of Nickerson Farms - NO PRODUCTION OR

S.W.L. (AFTER CASING): CONSLTRUCTION DATA

LOG ID:

WELL TYPE

028939 Noncommunity Public Well

DRILL DATE: 2002/05/ TOWNSHIP RANGE SECTION ELEVATION: 760FT

DRILL DEPTH: 406FT 41N 13W 9

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 556,015.74 4,240,599.08

ZONE 15

S.W.L. (BEFORE CASING): REMARKS:

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE

006167 Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u> 1940/00/00 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 725FT

DRILL DEPTH: 57FT 41N 14W 12

<u>DEPTH TO BED:</u> 5FT <u>UTM X</u> <u>UTM Y</u> 551,227.72 4,242,185.01

S.W.L. (BEFORE CASING):

REMARKS: 3.5 MI SW OF EUGENE

S.W.L. (AFTER CASING):

LOG ID: | WELL TYPE

006168 Exploratory Hole (Mineral Prospect)

DRILL DATE: 1940/00/00 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u>

DRILL DEPTH: 31FT 41N 14W 12

DEPTH TO BED: 10FT 551,027.72 4,241,963.01

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): REMARKS: 3.5 MI SW OF EUGENE

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014466

WELL TYPE Private Well

DRILL DATE: 1956/02/18

TOWNSHIP 41N RANGE SECTION

ELEVATION:

605FT

DRILL DEPTH: 145FT

14W 22

UTM X

<u>UTM Y</u>

DEPTH TO BED: 20FT

547,802.77

4,238,503.95

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 015976

WELL TYPE Private Well

DRILL DATE:

1955/06/01

TOWNSHIP

RANGE

SECTION 24 **ELEVATION:**

764FT

DRILL DEPTH:

225FT

41N 14W

UTM X

UTM Y

DEPTH TO BED:

65FT

549,983.77 4,238,705.99 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 004181

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1937/04/01

<u>TOWNSHIP</u>

<u>RANGE</u>

SECTION 15 **ELEVATION:**

930FT

DRILL DEPTH:

557FT

41N 15W

UTM X

UTM Y

DEPTH TO BED:

30FT

536,997.78 4,239,687.79

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: JCT HWYS 52 & 54

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025507

Stratigraphic test hole (oil & gas)

DRILL DATE:

1968/00/00

TOWNSHIP

RANGE

SECTION

ELEVATION:

920FT

1000/00/00

41N

15W

LLLVATION

UTM X

536.897.78

DRILL DEPTH:

39FT

15

<u>UTM Y</u> 4,239,687.79

DEPTH TO BED:

17FT

REMARKS:

ROGHT-OF-WAY CORE HOLE

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025532

WELL TYPE

Stratigraphic test hole (oil & gas)

1968/03/01 DRILL DATE:

TOWNSHIP

41N 15W **SECTION** 15

ELEVATION:

948FT

DRILL DEPTH:

45FT

UTM X

UTMY

DEPTH TO BED:

14FT

536,897.78

4,239,687.79

ZONE 15

S.W.L. (BEFORE CASING):

XCORE SAMPLES - RIGHT-OF-WAY **REMARKS**:

RANGE

S.W.L. (AFTER CASING):

LOG ID: 019798

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1961/06/10

TOWNSHIP

SECTION RANGE

ELEVATION:

897FT

DRILL DEPTH:

140FT

41N 15W

UTM X

UTMY

DEPTH TO BED:

20FT

538,747.73

4,243,556.82

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

80

FT

REMARKS: 3 MI SE OF ELDON

LOG ID:

027899

WELL TYPE

Private Well

DRILL DATE:

TOWNSHIP

RANGE

SECTION

2

ELEVATION:

916FT

DRILL DEPTH:

365FT

41N

41N

15W

22

DEPTH TO BED:

60FT

UTM X 536,831.79

UTMY 4,238,266.79

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016393

Private Well

1957/06/06

TOWNSHIP

REMARKS:

RANGE

SECTION

ELEVATION:

934FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

230FT

55FT

15W 26

UTM X

UTM Y

539.203.79 4,237,628.82

ZONE 15

S.W.L. (BEFORE CASING):

FT

8 MI W OF TUSCUMBIA ON HWY 52 **REMARKS:**

S.W.L. (AFTER CASING):

140



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016903

DRILL DEPTH:

WELL TYPE Private Well

1957/06/01 DRILL DATE:

360FT

146

DEPTH TO BED: 20FT **TOWNSHIP** 41N

RANGE SECTION 15W 27

ELEVATION:

870FT

UTM X

UTMY 4,237,050.79

536,951.81

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

5 MI S OF ELDON ON HWY 54; CONTAMINATED BY BLASTING FOR

NEW US 54 (75)

LOG ID: 027736

WELL TYPE Private Well

DRILL DATE:

1971/03/10

TOWNSHIP

RANGE

SECTION ELEVATION: 823FT

DRILL DEPTH:

250FT

41N 15W 27

UTM X

ZONE 15

536,851.81

UTMY 4,236,315.79

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: 300' E OF HWY 54, ABT 2 MI S OF HWY 52; NO SAMPLES LOGGED,

NO TOPS

WELL TYPE

LOG ID: 027695

Community Public Well

100

DRILL DATE:

1974/06/13

TOWNSHIP

FT

41N

RANGE SECTION **ELEVATION:**

538,308.72

916FT

DRILL DEPTH:

615FT

15W 3

INDUSTRIAL PARK WELL

UTM X

ZONE 15

UTMY 4,244,185.81

DEPTH TO BED:

10FT

80

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024815

Community Public Well

DRILL DATE:

RANGE TOWNSHIP 41N

SECTION

ELEVATION:

940FT

DRILL DEPTH:

DEPTH TO BED:

975FT 15FT 15W

UTM X

UTM Y

536.106.74

4,243,940.78

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

360



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005683

WELL TYPE Private Well

1939/00/00 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 41N 15W

DRILL DEPTH: 127FT UTM X **UTMY** DEPTH TO BED: 533,349.78 4,241,296.74

ZONE 15

908FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 60

LOG ID: 005689

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1939/00/00 **RANGE ELEVATION:** 840FT

41N 15W 9 DRILL DEPTH: 51FT

UTM X **UTMY** DEPTH TO BED: 15FT 536,139.76 4,241,991.78

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: **AURORA SPRINGS**

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Stratigraphic test hole (oil & gas) 026170

DRILL DATE: 1969/00/00 **TOWNSHIP RANGE SECTION ELEVATION:** 902FT

> 41N 15W 9 60FT

DRILL DEPTH: UTM X **UTMY DEPTH TO BED:** 19FT 536,139.76 4,241,367.78

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** RIGHT-OF-WAY CORE HOLE

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

Stratigraphic test hole (oil & gas) 026171

70FT

1969/00/00 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 895FT

41N

UTM X UTM Y

DEPTH TO BED: 16FT 535.939.76 4,241,367.78

15W

9

ZONE 15

S.W.L. (BEFORE CASING): RIGHT-OF-WAY CORE HOLE **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018126

WELL TYPE

Noncommunity Public Well

1959/02/03 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 986FT

41N 16W 11 **DRILL DEPTH:** 250FT

REMARKS:

UTM X **UTMY** DEPTH TO BED: 20FT 528,805.80 4,241,704.67

ZONE 15

S.W.L. (BEFORE CASING): FT 5 MI SW OF ELDON ON HWY Y; 10-FT SAMPLES

S.W.L. (AFTER CASING): 230

LOG ID:

WELL TYPE

Private Well 016105

1957/05/04 DRILL DATE: **TOWNSHIP SECTION RANGE ELEVATION:** 836FT

14W 42N 11 DRILL DEPTH: 130FT

UTM X UTMY DEPTH TO BED: 549,188.59 15FT 4,251,028.98

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 23

LOG ID: 018967

WELL TYPE

Private Well

DRILL DATE: 1958/10/31 **TOWNSHIP RANGE SECTION ELEVATION:** 883FT

42N 14W 20 **DRILL DEPTH:** 255FT

REMARKS:

REMARKS:

UTM X **UTMY**

DEPTH TO BED: 10FT 545,043.65 4,247,537.92

5 MI E OF ELDON, 0.75 MI N OF HWY 54

formerly in name of Leeper (?) - 70' OF SECTION DESCRIBED

ZONE 15 S.W.L. (BEFORE CASING): FT

140 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 019645

1961/00/00 **TOWNSHIP RANGE SECTION DRILL DATE: ELEVATION:** 945FT

42N 14W 23 **DRILL DEPTH:** 600FT

DEPTH TO BED: 530FT 549.688.65 4,247,188.99

UTM Y

UTM X

ZONE 15 S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027322

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well

1972/05/01 DRILL DATE:

320FT

20FT

TOWNSHIP RANGE SECTION 42N

15W 15 **ELEVATION:**

900FT

UTM X

UTMY 4,250,549.81

538,216.65

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 028018

WELL TYPE

Community Public Well

DRILL DATE:

1975/09/01

TOWNSHIP

RANGE

SECTION ELEVATION: 922FT

DRILL DEPTH:

580FT

42N

15W 25

UTM X

DEPTH TO BED:

5FT

542,018.67

UTMY 4,246,712.87

ZONE 15

S.W.L. (BEFORE CASING):

130

110

FT

FT **REMARKS**:

REMARKS:

"AN EXCELLETN SET OF SAMPLES"

S.W.L. (AFTER CASING):

LOG ID: 028584

WELL TYPE

Community Public Well

DRILL DATE:

1982/12/21

TOWNSHIP

RANGE

SECTION 28

LOCATED CORNER OF HAYNES & OAK

ELEVATION:

920FT

DRILL DEPTH:

1.000FT

42N 15W

UTM X

UTMY

DEPTH TO BED:

5FT

536,752.71

4,246,020.79

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

002006

Noncommunity Public Well

DRILL DATE:

DRILL DEPTH:

595FT

TOWNSHIP 42N

RANGE

15W

SECTION 3

ELEVATION:

UTM X UTM Y

ZONE 15

4,253,473.81

537.746.62

DEPTH TO BED:

30FT

FT

8

REMARKS:

REMARKS:

NO UNITS IDENTIFIED; MAY BE 41N

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023621

WELL TYPE Private Well

1964/07/22 DRILL DATE:

TOWNSHIP 42N

RANGE SECTION **ELEVATION:**

982FT

DRILL DEPTH:

170FT

15W 32

UTM X

UTMY 4,244,532.76

DEPTH TO BED:

10FT

534,810.74

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of Bruce Allen - 5/8 MI W OF ELDON ON HWY

S.W.L. (AFTER CASING):

LOG ID: 005688

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

1939/07/01

TOWNSHIP

RANGE

ELEVATION:

925FT

DRILL DEPTH:

276FT

42N 15W

33

SECTION

UTM X

UTMY

DEPTH TO BED: 140FT

536,745.72

4,244,689.79

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL TO 140'

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 011527

Community Public Well

75

DRILL DATE:

1951/05/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

928FT

DRILL DEPTH:

850FT

42N

33

DEPTH TO BED:

15FT

123

15W

UTM X 536,708.72

ZONE 15

UTMY 4,244,720.79

S.W.L. (BEFORE CASING):

FT

REMARKS: 8' N, 8' W OF NE CORNER OF CITY HALL

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

011538

Community Public Well

DRILL DATE:

1951/05/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

943FT

DRILL DEPTH:

DEPTH TO BED:

845FT

485FT

42N

15W

UTM X

UTM Y

33

536.145.72

4,245,106.78

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

OLD WELL DEEPENED 485-845'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002615

WELL TYPE

Industrial High Capacity Well

DRILL DATE:

42N 15W 34 165FT

TOWNSHIP

RANGE

SECTION

DRILL DEPTH: <u>UTM X</u> **UTMY DEPTH TO BED:** 537,163.72 4,244,402.80 10FT

ELEVATION:

ZONE 15

S.W.L. (BEFORE CASING): 80 FT

REMARKS: @ ELDON

S.W.L. (AFTER CASING):

LOG ID: 008476

WELL TYPE

Industrial High Capacity Well

120

DRILL DATE: 1944/01/04

TOWNSHIP

RANGE SECTION **ELEVATION:**

914FT

910FT

DRILL DEPTH:

680FT

42N 15W 34

UTM X

<u>UTM Y</u>

DEPTH TO BED: 15FT 537,763.72

4,244,402.81

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: @ ELDON

S.W.L. (AFTER CASING):

MILLER

3,695 2/27/2007